EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	38	(US-20030227215-\$ or US- 20030040862-\$ or US- 20040212247-\$ or US- 20030214186-\$ or US- 20030214186-\$ or US- 20010013701-\$), did. or (US- 5820515-\$ or US-5630772-\$ or US-5637773-\$ or US- 6018692-\$ or US-6401019-\$ or US-6678810-\$ or US-620934-\$ or US-66086515-\$ or US- 515467-\$ or US-7136735-\$ or US-7051859-\$ or US- 515467-\$ or US-7136735-\$ or US-5205087-\$ or US-5205087-\$ or US-5205087-\$ or US-59050810-\$ or US-59050815-\$ or US-59050815-\$ or US-59050815-\$ or US-59050815-\$ or US-59050815-\$ or US-59050816-\$ or US-59050815-\$ or US-590508082-\$ or US-59050808-\$ or US-590508-\$ or US-59050808-\$ or US-59050808-\$ or US-59050808-\$ or US-59050808-\$ or US-59050808-\$ or US-590508-\$ or US-59050808-\$ or US-590508-\$ or US-59050	US PGPUB; USPAT; EPO; UPO; DERWENT	OA	ON	2008/08/25 14:02
L2	4	L1 and ((vehicle adj speed) same (engine adj torque))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/25 14:02
L4	0	WO03013897	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/25 15:08
L5	0	WO003013897	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/25 15:09
L6	4	"03013897"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/25 15:09
S1	9	((WERNER) near2 (BERNZEN)). INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 15:26
\$2	21961	(influenc\$3 or adjust\$3 or control\$4 or impact\$3 or regulat\$3 or increas\$3 or decreas\$3 or balanc\$3) same (engine) same (torque or torsion or force or power or turn) same (uphill or inclin\$5 or tilt or pitch or ramp\$3 or (slope adj road))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 16:26

83	615	(influenc\$3 or adjust\$3 or control\$4 or impact\$3 or regulat\$3 or increas\$3 or decreas\$3 or balanc\$3) same (engine) same (torque or torsion or force or power or turn) same (uphill or inclin\$5 or filt or pitch or ramp\$3 or (slope adj roadj) same (brak \$3 near3 (depress\$3 or deflect \$3 or deflex\$3 or engag\$3 or eacuat \$\$3)	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/08/21 16:30
S4	3454186	vehicle or car or automobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 16:31
S 5	519	S3 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 16:31
88	576	(Influenc\$3 or adjus\$3 or control\$4 or impact\$3 or regulat\$3 or increas\$3 or increa	US-PGPUB; USPAT; USOCR; FPRS; EPC; JPC; DERWENT; IBM_TDB	OR	ON	2008/08/21 16:33
S9	488	S4 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/08/21 16:34
S10	28	[(influenc\$3 or adjust\$3 or control\$4 or impact\$3 or control\$4 or impact\$3 or increas\$3 or increas\$3 or decreas\$3 or balanc\$3) and (lengine) and (torque or torsion or force or power) and (uphill or inclin\$5 or tilt or pitch or ramp\$3 or (slope adjroad)) and (brak\$3 nead) (depress\$3 or deflex\$3 or deflex\$3 or refract\$3 or bend \$3 or engag\$3 or actuat\$3))).	US-PGPUB; US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OS	2008/08/21

S11	9	"6018692"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 11:12
S12	14	("4735274" "4931930" "5742141" "5764015" "5931252" "5931253" "5945799").PN. OR ("6018692").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/22 11:14
S13	111	"6086515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 11:23
S14	20	("3645352" "4681196" "471720" "4865175" "5223760" "5415467" "5452946" "592193" "5984429" "6009984" "6086515" "6256568" "626934" "628617" "6287236" "6315372" "6401899"), NN, OR ("6679810"), URIPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/22 11:30
S15	0	ep0212922	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 11:34
S16	1	ep00212922	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 11:34
S17	11	"5630772"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 11:56
S18	6	("5630772" "6039673" "6748311" "6896340" "6899212" "6920383").PN. OR ("7136735").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/22 11:59
S19	875	(determin\$3 or detect\$3 or monitor\$3 or identif\$4) near5 (engine or motor) near3 (torque or torsion or force or power or turn) same (uphill or inclin\$5 or tilt or pitch or ramp \$3 or (slope adj road))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 12:23

250	***************************************	(determin\$3 or detet\$3 or monitor\$3 or identif\$4) near5 (engine or motor) near3 (torque or torsion or force or power) same (uphill or inclin \$5 or tilt or pitch or ramp\$3 or (slope adj roadj) same (brak \$3 near3 (depress\$5 or deflect \$3 or deflect \$3 or deflect \$3 or engag\$3 or actuat \$33)	US-PCPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	6 	2008/08/22 12:25
S21	17	"5925087"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 12:38
S22	2	("5925087").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 12:43
S23	0	("16and(brakesametorque)"). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 12:43
S24	0	("6416441.pn.").FN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 12:45
S25	2	"6416441".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 12:45
S26	0	("16and(torquesamebrake)"). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 12:47
\$27	1	S22 and (torque same brake)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 12:47

S28	1	S25 and (uphill or inclination) same torque	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 12:58
S29	2	("5925087").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 16:08
S30	1	S29 and (uphill or inclination or slope) same torque	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 16:08
S31	1	S29 and (uphill or inclination or slope) same (engine adj torque)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 16:09
S32	114	(engine adj torque) same (brake) same (inclin\$4 or ramp or uphill)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 18:54
S33	84	S32 and (actual or nominal or maximum or minimum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 18:55
S34	21	S32 and ((actual or nominal or maximum or minimum) near5 (engine adj torque))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 18:56
S3 5	317	701/78.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 19:10
S36	279	701/84.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 19:10

S37	9	S35 and S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 19:10
S38	3	S36 and ((engine adj torque) same (brake) same (inclin\$4 or ramp or uphill))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 19:13
239	24	("20010044691" "20010049578" "20020107106" "4921065" "5065836" "5224045" "5703776" "5941614" "5957552" "5997108" "607860" "6122588" "6193333" "6233514" "6243640" "6332450" "6349253" "6434466" "6527076" "6558090" "6609994" "6654677" "6732039" "7134985").PN. OR ("7319927").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/22 19:15
S40	539	(brake near3 (position or deflection or actuat\$4 or depres\$4)) same (engine adj torque)	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/22 19:28
S41	47	(brake near3 (position or deflection or actuat\$4 or depres\$4)) same (engine adj torque) same (inclin\$5 or up \$hill or uphill or ramp or slope)	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/22 19:29
S42	26	(US-20030227215-\$ or US-20030040862-\$ or US-200400212247-\$ or US-20030214186-\$), clid. or (US-582015-\$ or US-582015-\$ or US-5820772-\$ or US-5827773-\$ or US-6018692-\$ or US-6401019-\$ or US-6879810-\$ or US-679809-\$ or US-620934-\$ or US-6986115-\$ or US-5136735-\$ or US-698615-\$ or US-7136735-\$ or US-6994407-\$ or US-5925087-\$), did. or (EP-1327553-\$ or WS-3043861-\$ or EP-681123-\$), did. or (JP-9177963-\$), did. or (J	US-PGPUB; USPAT; EPO; JPO; DERMENT	OR	ON	2008/08/23

S43	8	(engine adj torque) near5 (increas\$3 or decreas\$3 or adjust\$3 or maintain\$3 or more or less) near3 (brake near2 (position or deflect\$3 or depres\$4 or actuat\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	MANAGE AND	ON	2008/08/23 15:22
S44	16	((engine adj torque) and (increas\$3 or decreas\$3 or adjust\$3 or maintain\$3 or more or less) and (brake near2 (position or deflect\$3 or depres\$4 or actuat\$4))).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 15:25
S45	6	((engine adj torque) and (increas\$3 or decreas\$3 or adjust\$3 or maintain\$3 or more or less) and ((brake adj pedal) near2 (variable or state or status or position or deflect \$3 or depres\$4 or actuat\$4))). ab.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 15:37
S46	946	(((engine or motor) adj torque) and (brake)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 15:47
S47	3	(((engine or motor) adj torque) and (brake adj pedal adj (vaiable or position or state or actuat\$3 or deflect\$3 or pres\$5))).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 15:49
S48	504	(((engine or motor) adj torque) and (brake adj pedal adj (vaiable or position or state or actuat\$3 or deflect \$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 15:51
S49	43	S48 and creep\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 15:52
S50	21	(((engine or motor) adj torque) with (brake adj pedal adj (vaiable or position or state or actuat\$3 or deflect \$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/08/23 16:02

S51	24	("200302/14186" "4382604" "4717207" "4771387" "4805105" "5706909" "5779328" "5916062" "6019436" "6086515" "6260934" "6266255" "6260934" "6269295" "6401899" "6439675" "6502908" "6530450" "6543567" "6557444" "6629024" "6679810" "6739676" "6748310").PN. OR ("7092809").UIFN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/23 16:38
S52	9	(((engine or motor or driv\$3) adj torque) and (brake adj pedal adj (vaiable or position or state or actuat\$3 or deflect \$3 or pres\$5))).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 16:45
S53	32	(((engine or motor or driv\$3) adj torque) with (brake adj pedal adj (vaiable or position or state or actuat\$3 or deflect \$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 16:46
S54	5	"6527076"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 16:55
S57	2	"20010013701"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 10:44
S58	18	(maximum or upper\$limit or (upper adj limit) or larg\$\$3 or highest or tange or amplitude or greatest) near3 ((engine or motor) adj (torque or force)) near5 (inclin\$\$ or up\$slope or down\$slope or up\$hill or down \$hill or ramp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 11:08
S59	21	(maximum or upper\$limit or (upper adj limit) or larg\$3 or highest or range or amplitude or greatest) near3 ((engine or motor) adj (torque or force)) near5 (inclin\$5 or up\$slope or down\$slope or up\$hill or down \$hill or ramp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 11:17

S60	511	(maximum or upper\$limit or (upper adj limit) or larg\$3 or highest or range or amplitude or greatest) same ((engine or motor) adj (torque or force)) same (indin\$5 or up\$slope or down\$slope or up\$hill or down \$hill or ramp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 11:23
961	23	((maximum or upper\$limit or (upper adj limit) or larg\$\$ or highest or range or amplitude or greatest) and ((engine or motor) adj (torque or force)) and (inclin\$\$ or up\$slope or down\$slope or up\$hill or down \$hill or ramp)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 11:24
S63	3	"20060106520"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 11:33
\$64	38	(US-20030227215-\$ or US-20030040862-\$ or US-20040212247-\$ or US-20030214186-\$ or US-20030214186-\$ or US-20030214186-\$ or US-5020515-\$ or US-5630772-\$ or US-5627773-\$ or US-5627773-\$ or US-6678692-\$ or US-6620934-\$ or US-6678910-\$ or US-679810-\$ or US-679810-\$ or US-679810-\$ or US-679810-\$ or US-7051859-\$ or US-7051859-\$ or US-7051859-\$ or US-5925087-\$ or US-5925087-\$ or US-5925087-\$ or US-5925087-\$ or US-5905349-\$ or US-5707610-\$ or US-5707610-\$ or US-5707610-\$ or US-5707682-\$ or US-7206682-\$), did. or (EP-1327553-\$ or US-4500811-\$ or US-681123-\$), did. or (JP-9177963-\$), did. or (JP-2002015476-\$ or US-5287773-\$	US PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/25
965	2	\$64 and ((creep or (low adj speed\$3)) same (transm\$3 or gearbox))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 11:48

S66	1911	(determin\$3 or detect\$3 or measur\$3) near5 ((road or drive or street or path) near2 (inclin\$5 or up\$hill or down \$hill or slope))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:04
S67	465	S66 and longitud\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:06
S68	483	S66 and (longitud\$5 or x \$direction\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:06
S71	208	\$68 and (lateral or y\$direction \$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:08
S72	16	S71 and (yaw adj angle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:09

^{8/25/2008 3:15:55} PM

C:\ Documents and Settings\ halgahaim\ My Documents\ EAST\ Workspaces\ 10583968.wsp